



Retail scale with secondary display

9360

- ▶ Approvable class III retail scales
- ▶ 5 direct PLU memory locations, 99 additional PLU memory locations
- ▶ Basic price input (€ / kg and € / 100 g)
- ▶ Display of the weight, unit price and selling price
- ▶ Second display for the customer on the back of the scale



Features

The price calculating universal scale for sales you get ready calibrated, for immediate use as a commercial scale. The integrated rechargeable battery makes the scale particularly interesting for mobile use. With its robust, practical quality and simple and easy operation, the store scale is ideal for markets, farm stores, fruit and vegetable sales, bakeries and confectioners.

- ▶ Price-calculating dual-range scales with secondary display
- ▶ Simple and accurate determination of weight and price
- ▶ 5 direct PLU memory locations, 99 additional PLU memory locations
- ▶ Direct price entry
- ▶ Fixed key for prices
- ▶ Acoustic key acknowledgement
- ▶ Functions: Automatic sales price calculation, taring
- ▶ Display for weight, basic price and sales price
- ▶ Second display for the customer on the back of the scale
- ▶ Switching between € / 100 g and € / kg
- ▶ Backlit LC display with 20 mm high digits
- ▶ Two-interval scale with fine digit increments in the lower weighing range and therefore a smaller calibrated minimum load
- ▶ Mains operation: 230 V, 50 Hz
- ▶ With rechargeable battery for approx. 70 hours of continuous operation, battery alarm and charger as standard
- ▶ Weighing platform made of 1.4301 stainless steel, 360 x 240 mm
- ▶ Housing made of easy-care plastic
- ▶ Dimensions: 370 x 360 x 130 mm
- ▶ Scale net weight: 5.8 kg
- ▶ Nominal operating temperature: 0 °C to 40 °C

Products

Order number Variation	Approvable	Approved minimum load g	Division g	Length mm	Maximum load kg	Width mm
9360.01.001 Retail scale with secondary display	Yes	20	1 2	370	3 6	240
9360.02.001 Retail scale with secondary display	Yes	40	2 5	370	6 15	240